

# INNOVANDCOM

Innovation pour tous



Email: [info@innovandcom.fr](mailto:info@innovandcom.fr)  
Address: 18 Route du Montet, 03440-France

Whatsapp : +33749105238/ +33 682239817



# CONTENT



- 01** UV Printer
- 02** DTG Printer
- 03** Edible Ink Printer
- 04** DTF Printer



01  
UV Printer

# ZT-3350UV Pro



WhatsApp :+33749105238/ +33 682239817

Email: [info@innovandcom.fr](mailto:info@innovandcom.fr)

[www.innovandcom.com/](http://www.innovandcom.com/) [www.innovandcom.fr](http://www.innovandcom.fr)

Address: 18 Route du Montet, 03440-France

Printing technology	Plezo electric inkjet printing
Print head	EPSON Photo L805
Printing size	A3 330mm*500mm
Maximum bottle size	Width330mm,Diameter100mm
Diameter range of Printable bottle	50-110mm
Max. height of object	22 CM
Print Color	6 Channels CMYK+WW, CMYK+W V
Printing Speed	Approximately 178 seconds (Photo mode)
Max. Printing resolution	1440DPI*1440DPI
Ink Tank Volume	150ML
UV lamp life time	50000 hours
UV Cooling type	Water cooling system
UV lamp effective area	320mm*500mm 264,000
Ink Type	UV curing ink
Control Software	ZhonetreeRIP White ver 10.3
Height Adjust	Automatic/Manual Adjust
Media	182,000 Rigid PVC board,glass,plastic, organic board, leather, pen,special paper,metal, wood, porcelain, PVC,ABS ,acrylic,aluminum, iron sheet, ceramic tile, glass, marble, granite, paperboard etc.
Languages	English.Chinese
Power	AC 220/110±10,50HZ~60HZ, P250W
Input formats	PNG,JPG,TIFF, etc.
Printing Interface	USB2.0/LTP
Operation System	Windows, XP/Win 7/ Win 8/Win 10
Working Environment	temperature 20~30 °C, humidity 40~60%
Printer Size	838*630*518 MM
Shipping Size	910*590*695 MM
Gross/ Net. Weight	68KG/51KG

Due to technical update, the above specifications are subjected to revised without notification.

# ZT-3350UVV Roll



**WhatsApp :+33749105238/ +33 682239817**  
**Email: [info@innovandcom.fr](mailto:info@innovandcom.fr)**  
**[www.innovandcom.com/](http://www.innovandcom.com/) [www.innovandcom.fr](http://www.innovandcom.fr)**  
**Address: 18 Route du Montet, 03440-France**

Printing technology	Plezo electric inkjet printing
Print head	EPSON L805
Roll max width	330mm
Maximum label width	105mm
Print Color	6 Channels CMYK+WW, CMYK+W V,CMYK LC LM
Printing Speed	Approximately 178 seconds (Photo mode)
Max. Printing resolution	1440DPI*1440DPI
Ink Tank Volume	150ML
UV lamp life time	50000 hours
UV Cooling type	Water cooling system
White ink mixer	Standard White ink mixer
Ink Type	UV curing ink
Control Software	Zhone Tree AcroRip White ver10.3
Platform type	Standard vacuum suction platform
Media	PVC Paper, white & black & different color label, gold sticker paper, photo paper, etc.
Languages	English.Chinese
Power	AC 220/110±10;50HZ~60HZ, P150W
Input formats	PNG,JPG,TIFF, etc.
Printing interface	USB2.0/LTP
Operation system	Windows, Win 7/ Win 8/Win 10/Win11
Working environment	temperature 20~30 °C, humidity 40~60%
Printer Size	620*461*306 MM
Shipping Size	690*600*360 MM
Gross/ Net. Weight	35KG/21KG

Due to technical update, the above specifications are subjected to revised without notification.



# ZT-3350X Pro UV Printer



WhatsApp :+33749105238/ +33 682239817  
Email: [info@innovandcom.fr](mailto:info@innovandcom.fr)  
[www.innovandcom.com/](http://www.innovandcom.com/) [www.innovandcom.fr](http://www.innovandcom.fr)  
Address: 18 Route du Montet, 03440-France

Print head	EpsonF1080(XP600)/I3200 Head
Print size	360mm* 420mm
Print color	High precision intelligent 4color/6color/8color (C、M、Y、K、Lc、Lm、W、V)
Print height	200mm
Print precision	720DPI*720DPI
Image format	TIFF、BMP、PDF、EPS、JPEG Etc...
Media	Rigid PVC board,glass,plastic, organic board, leather. pen,special paper,metal, wood, porcelain, PVC,ABS ,acrylic,aluminum, iron sheet, ceramic tile, glass. marble, granite, paperboard etc.
Number of sprinklers	1~2 branches
Ink Type	UV Curing Ink
Print out rate	Draft model 6-7 m <sup>2</sup> /h
	Standard model 4.5-5 m <sup>2</sup> /h
	High precision model 2.5-3.5 m <sup>2</sup> /h
Cooling system	Air cooling system
Power requirements	AC 220/110±10, 50HZ~60HZ, P480W
Print interface	High speed network transmission interface
Driver software	MicrosoftWindows98/ Me/ 2000/ XP/ Win7/ Win10
RIP software	Photo Print
Working environment	Temperature 20~30 °C, humidity 40~60%
Printer Size	780*1350*720mm
Shipping Size	850*1450*950mm
GrossW. Net. Weight	90KG/125KG

Due to technical update, the above specifications are subjected to revised without notification.



# ZT-6090X NEW UV Printer



WhatsApp :+33749105238/ +33 682239817  
Email: [info@innovandcom.fr](mailto:info@innovandcom.fr)  
[www.innovandcom.com/](http://www.innovandcom.com/) [www.innovandcom.fr](http://www.innovandcom.fr)  
Address: 18 Route du Montet, 03440-France

Print head	EpsonF1080(XP600)/I3200 Head/G5i
Print size	600mm* 900mm
Print color	High precision intelligent 4color/6color/8color (C、M、Y、K、Lc、Lm、W、V)
Print height	200mm
Print precision	720DPI*720DPI
Image format	TIFF、BMP、PDF、EPS、JPEG Etc...
Media	Rigid PVC board,glass,plastic, organic board, leather. pen,special paper,metal, wood, porcelain, PVC,ABS ,acrylic,aluminum, iron sheet, ceramic tile, glass. marble, granite, paperboard etc.
Number of sprinklers	1~3 branches
Ink Type	UV Curing Ink
Print out rate	Draft model 6-7 m <sup>2</sup> /h
	Standard model 4.5-5 m <sup>2</sup> /h
	High precision model 2.5-3.5 m <sup>2</sup> /h
Cooling system	Air cooling system
Power requirements	AC 220/110±10, 50HZ~60HZ, P480W
Print interface	High speed network transmission interface
Driver software	MicrosoftWindows98/ Me/ 2000/ XP/ Win7/ Win10
RIP software	Photo Print
Working environment	Temperature 20~30 °C, humidity 40~60%
Printer Size	1400*1710*780mm
Shipping Size	1550*1860*980mm
GrossW. Net. Weight	200KG/235KG

**Due to technical update, the above specifications are subjected to revised without notification.**

# Print Samples



Metal surface



Glass surface



Plastic surface



Carton surface





DTG Printer

The logo features a central white circle containing the text "DTG Printer" in a clean, sans-serif font. Above the text are two large, stylized white characters that resemble "00", and below the text are two large, stylized white characters that resemble "UZ". The entire logo is set against a background of a blue and white galaxy, which is itself centered within a larger white circle on a dark, star-filled space background.

# ZT-3350DTG



**Direct to garment printer& PET Film printer**

**WhatsApp :+33749105238/ +33 682239817**

**Email: [info@innovandcom.fr](mailto:info@innovandcom.fr)**

**[www.innovandcom.com/](http://www.innovandcom.com/) [www.innovandcom.fr](http://www.innovandcom.fr)**

**Address: 18 Route du Montet, 03440-France**

Printing technology	Plezo electric inkjet printing
Print head	EPSON L805
Printing size	A3 330mm*500mm
Maximum Effective Size of Clothing Bracket	W297mm*L420mm
Max. height of object	220mm
Print Color	6 Channels CMYK+WW,CMYK Lc Lm
Printing Speed	Approximately 178 seconds (Photo mode)
Max. Printing resolution	1440DPI*1440DPI
Ink Tank Volume	150ML
Ink Type	Pigment ink/ Textile ink/DTF ink
Ink Supply System	CISS
White ink mixer	White ink mixer (Standard configuration)
Control Software	ZhonetreeRIP White ver10.3
Height Adjust	Automatic/Manual Adjust
Media	PET film ,T-shirt, Hat ,Close, canvas shoes, etc.
Languages	English.Chinese
Power	AC 220/110±10,50HZ~60HZ, P250W
Input formats	PNG,JPG,TIFF, etc.
Printing interface	USB2.0/LTP
Operation System	Windows 7/ Win 8/Win 10/Win 11
Working Environment	Temperature 20~30 °C, Humidity 40~60%
Printer Size	760*630*510mm
Shipping Size	830*565*695mm
GlossW. Net. Weight	61KG/43.1KG

**Due to technical update, the above specifications are subjected to revised without notification.**

# Print Samples



Jeans and T-shirts



Canvas shoes



Cloth



Sneakers



Edible Ink Printer

# ZT-2020E Coffee Printer



WhatsApp :+33749105238/ +33 682239817  
 Email: [info@innovandcom.fr](mailto:info@innovandcom.fr)  
[www.innovandcom.com/](http://www.innovandcom.com/) [www.innovandcom.fr](http://www.innovandcom.fr)  
 Address: 18 Route du Montet, 03440-France

Technology	Advanced Micro Piezo Pigment Inkjet
Print head	HP803 Head
Max.Print Size	200mm*200mm
Print height	80mm < Height < 180mm, Automatic adjust
Print color	4 color (C、M、Y、K、) <sup>284,000</sup>
Ink Type	Edible Ink
Print precision	600DPI*600DPI
Image format	TIFF、BMP、PDF、PNG、JPEG etc.
Print speed	3-30S/Cup <sup>264,000</sup>
Autogmatic grade	Semi-Automatic
Ink system	Cartridge
Wifi	Optional
Software <sup>182,000</sup>	Cupshow, CDR, AI, PS, RIP, etc.
Print interface	USB2.0 HIGH SPEED
Driver software	MicrosoftWindows7-10
Power requirements	AC 220/110V ±10V , 50HZ~60HZ, P200W
Working environment	Temperature 10~35°C, Humidity 20~80%
Printer size	410mm*430mm*470mm
Shipping Size	530mm*500mm*540mm
Gross/ Net. Weight	26KG/18KG

Due to technical update, the above specifications are subjected to revised without notification.

# ZT-2020E Pro Coffee Printer



WhatsApp :+33749105238/ +33 682239817  
Email: [info@innovandcom.fr](mailto:info@innovandcom.fr)  
[www.innovandcom.com/](http://www.innovandcom.com/) [www.innovandcom.fr](http://www.innovandcom.fr)  
Address: 18 Route du Montet, 03440-France

Technology	Advanced Micro Piezo Pigment Inkjet
Print head	L1118 Epson Head
Max.Print Size	200mm*200mm
Print height	50mm < Height < 180mm, Automaitic adjust
Print color	4 color (C、M、Y、K、)
Ink Type	Edible Ink
Print precision	720DPI*720DPI
Image format	TIFF、BMP、PDF、PNG、JPEG etc.
Print speed	3-15S/Cup
Autogmatic grade	Automatic
Ink system	CISS
Wifi	Optional
Software	Cupshow, CDR, AI, PS, RIP, etc.
Print interface	USB2.0-HIGH SPEED
Driver software	MicrosoftWindows7-10
Power requirements	AC 220/110V ±10V , 50HZ~60HZ, P200W
Working environment	Temperature 10~35°C, Humidity 20~80%
Printer size	460mm*430mm*520mm
Shipping Size	585mm*495mm*520mm
Gross/ Net. Weight	33.5KG/26KG

Due to technical update, the above specifications are subjected to revised without notification.

# ZT-2130E Edible Printer



WhatsApp :+33749105238/ +33 682239817

Email: [info@innovandcom.fr](mailto:info@innovandcom.fr)

[www.innovandcom.com/](http://www.innovandcom.com/) [www.innovandcom.fr](http://www.innovandcom.fr)

Address: 18 Route du Montet, 03440-France

Print head	L1118 Epson Head
Max.Print Size	200mm*290mm
Print height	0-38mm, Manual adjust
Print color	4 color (C、 M、 Y、 K、 )
Ink Type	Edible Ink
Print precision	720DPI*720DPI
Image format	TIFF、 BMP、 PDF、 PNG、 JPEG etc.
Ink system	CISS
Software	ZTRip, CDR, AI, PS, RIP, etc.
Print interface	USB2.0 HIGH SPEED
Driver software	MicrosoftWindows7-10
Power requirements	AC 220/110V ±10V , 50HZ~60HZ, P200W
Working environment	Temperature 10~35°C, Humidity 20~80%
Printer size	575mm*415mm*316mm
Shipping Size	640mm*4850mm*367mm
Gross/ Net. Weight	29KG/26KG

**Due to technical update, the above specifications are subjected to revised without notification.**


# Print Samples




Coffee and cookies



Pudding



Biscuits and bread



Cakes


284,000

543,000

133,000


123,000



The image features a central logo for 'DTF Printer' set against a cosmic background of a starry night sky with a prominent galaxy. The logo is contained within a white circular border. The letters 'D', 'T', and 'F' are rendered in a bold, white, sans-serif font. The 'D' and 'F' are positioned at the top, and the 'U' and 'T' are at the bottom, with the text 'DTF Printer' centered between them. The background shows a bright light source, possibly a star or the sun, partially obscured by the galaxy's dust and gas clouds.

**D T F**  
DTF Printer  
**U T**

# ZT-3350 ROLL



WhatsApp :+33749105238/ +33 682239817  
Email: [info@innovandcom.fr](mailto:info@innovandcom.fr)  
[www.innovandcom.com/](http://www.innovandcom.com/) [www.innovandcom.fr](http://www.innovandcom.fr)  
Address: 18 Route du Montet, 03440-France

## A3 Small DTF PET Film Printer

Printing technology	Plezo electric inkjet printing
Print head	EPSON L805
Printing size	W300mm Roll film
Print Color	6 Channels CMYK+WW,CMYK Lc Lm
Printing Speed	Approximately 178 seconds (Photo mode)
Max. Printing resolution	1440DPI*1440DPI <sup>284,000</sup>
Ink Tank Volume	150ML
Ink Type	DTF ink
Ink Supply System	CISS
White ink mixer	White ink mixer (Standard configuration) <sup>264,000</sup>
Control Software	ZhonetreeRIP White ver10.3
Media	PET Film, T-shirt, Hat ,Close, canvas shoes,etc.
Languages	English Chinese
Power <sup>182,000</sup>	AC 220/110±10,50HZ~60HZ, P100W
Input formats	PNG,JPG,TIFF, etc.
Printing interface	USB2.0/LTP
Operation system	Windows 7/ Win 8/Win 10/Win 11
Working Environment	Temperature 20~30 °C, Humidity 40~60%
Printer Size	680*640*295mm
Shipping Size	695*500*343mm
GrossW. Net. Weight	27KG/18KG

Due to technical update, the above specifications are subjected to revised without notification.

# ZT-600 ROLL



WhatsApp :+33749105238/ +33 682239817  
Email: [info@innovandcom.fr](mailto:info@innovandcom.fr)  
[www.innovandcom.com/](http://www.innovandcom.com/) [www.innovandcom.fr](http://www.innovandcom.fr)  
Address: 18 Route du Montet, 03440-France

## 60CM DTF PET Film Printer

Printing technology	Plezo electric inkjet printing
Print head	EPSON XP600 / i3200 uv print head
Printing size	W600mm Roll film
Print Color	CMYK+WW,CMYK Lc Lm
Printing Speed	Approximately 178 seconds (Photo mode)
Max. Printing resolution	1440DPI*1440DPI <sup>284,000</sup>
Ink Tank Volume	150ML
Ink Type	DTF ink
Ink Supply System	CISS
White ink mixer	White ink mixer <sup>26,000</sup> (Standard configuration)
Control Software	Maintop/ PP
Media	PET Film, T-shirt, Hat ,Close, canvas shoes,etc.
Languages	English.Chinese
Power <sup>182,000</sup>	AC 220/110±10,50HZ~60HZ, 600W
Input formats	PNG,JPG,TIFF, etc.
Printing interface	USB2.0/LTP
Operation system	Windows 7/ Win 8/Win 10/Win 11
Working Environment	Temperature 20~30 °C, Humidity 40~60%
Printer Packing Size	1800*730*630mm
GlossW. Net. Weight	95KG / 135KG
Shaking Machine packing size	1350*930*1250mm
GlossW. Net. Weight	90KG / 130KG

Due to technical update, the above specifications are subjected to revised without notification.


# Print Samples



Coffee and cookies



Pudding



Biscuits and bread



Cakes



... INNOVANDCOM



WhatsApp :+33749105238/ +33 682239817

Email: [info@innovandcom.fr](mailto:info@innovandcom.fr)

[www.innovandcom.com/](http://www.innovandcom.com/) [www.innovandcom.fr](http://www.innovandcom.fr)

Address: 18 Route du Montet, 03440-France